

ALPHA

PROGRESSIVE LENS

H65



Personalized Progressive Lens with
panoramic clarity in the distance zone.



ALPHA H65

Ideal as an outdoor progressive lens that offers an expansive far vision




ALPHA H65 DESIGN OVERVIEW



Progressive lens design with a special improvement for far vision. It offers a panoramic far visual field with freedom for lateral movements of the eyes. At both sides of the pupil positions, we find wide and clear visual zones that improve the outdoor visual experience.

Wearers will also take advantage of a stable near visual area allowing all activities at such distance.




Superior Far Vision. Ideal For Outdoor Activities.



Designed with a strong emphasis on far vision

The Alpha H65 is made especially for wearers who require uncompromised far vision. This wearer seeks comfort and a perfect view of remote surroundings.



Personalization for easy adaptation and visual comfort

Each lens is individually produced taking into consideration the unique parameters of the face and frame combination. Personalization is especially important for sport frames to reduce the aberrations induced by the tilt position and curvature of the lens.



Personalization parameters

For 100% personalization it is essential to include all personalization parameters unique of each wearer to the prescription data. For jobs without personalization parameters data, the lens will be personalized by default values.



Digital Lens



Personalization



Digital Ray-Path®




Enhanced Far



Multiple Corridor




Short Corridor Available



Variable Inset




Wrap Available



Great resolution due to Digital Ray-Path® technology

Digital Ray-Path® is an innovative calculation technique that uses a design engine to compensate the lens with a simulation of the binocular eye-lens system. Every unique lens is individually calculated guaranteeing an adapted solution for any prescription and base curve.



Options

Minimum Fitting Heights Available

Alpha H65 is available in 7 minimum fitting heights:

MFH 14	Minimum Fitting Height 14 mm
MFH 15	Minimum Fitting Height 15 mm
MFH 16	Minimum Fitting Height 16 mm
MFH 17	Minimum Fitting Height 17 mm
MFH 18	Minimum Fitting Height 18mm
MFH 19	Minimum Fitting Height 19 mm
MFH 20	Minimum Fitting Height 20 mm

Customization For Curved Frames

For wrap frames, 100% personalization can be achieved by measuring the tilt of the lens.



C/ Santa Engracia, 6, 1º. 28010 Madrid, Spain.
www.iot.es / www.digitalray-path.com